



HP 61510 Hockey Wax

MSDS Number: 024

Revision Date: 4/1/15

Page 1 of 3

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Product Use

FDA approved lubricant for protective packaging and other coating applications.

2 HAZARDS IDENTIFICATION

Route of Entry: Inhalation; Skin
Target Organs: NA
Inhalation: Fumes from molten material may cause mild respiratory irritation
Skin Contact: Contact with molten material may cause burns
Eye Contact: Yes, when product is molten
Ingestion: Ingestion is not an applicable route of entry for intended use.

NFPS-ratings (scale 0-4) : Health = 1, Fire = 1, Radioactivity = 0

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Perc.	Chemical Name
8002742	50%	Paraffin wax fume
8009038	50%	Petrolatum

4 FIRST AID MEASURES

Inhalation: If symptoms develop, move victim to fresh air. If symptoms persist, seek medical attention.
Skin Contact: Promptly flush skin with water and seek medical attention.
Eye Contact: Immediately seek medical attention.
Ingestion: Product is non-toxic. Should stomach discomfort occur, seek medical attention.

5 FIRE FIGHTING MEASURES

Flash Point: 415 F
Flash Point Method: C.O.C.

Dry Chemical, CO₂, Foam, Water Fog. Treat as an oil fire, do not use direct stream of water.



HP 61510 Hockey Wax

MSDS Number: 024

Revision Date: 4/1/09

Page 2 of 3

6 ACCIDENTAL RELEASE MEASURES

Dike or contain molten material. Allow material to solidify, then scrape up solid material. Handle as solid waste clean up. Clean up solid spills to prevent slippery surface conditions.

7 HANDLING AND STORAGE

Handling Precautions: Handle with care and avoid spillage on the floor (slippage).
Storage Requirements: Store in cool, dry area away from heat or direct sunlight.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Use local exhaust at filling zones and where leakage is probable. Use mechanical (general) ventilation for storage areas.
Protective Equipment: HMIS PP, B | Goggles, Gloves

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Opaque, waxy	Boiling Point:	NA
Physical State:	Solid	Freezing/Melting Pt.:	128 F
Odor:	Low	Solubility:	Nil.
pH:	NA	Spec Grav./Density:	<1
Vapor Pressure:	NA		
Vapor Density:	NA		

10 STABILITY AND REACTIVITY

Stability: Product is stable under normal conditions.
Conditions to avoid: Avoid heating above 300 F to prevent build-up of fumes.
Materials to avoid (incompatibility): Strong Oxidizing Agents.
Hazardous Decomposition products: CO, CO2 and unidentified byproducts of combustion.
Hazardous Polymerization: Will Not Occur



HP 61510 Hockey Wax

MSDS Number: 024

Revision Date: 4/1/09

Page 3 of 3

11 TOXICOLOGICAL INFORMATION

NA

12 ECOLOGICAL INFORMATION

NA

13 DISPOSAL CONSIDERATIONS

Incineration or burial in accordance with local, state and federal regulations.

14 TRANSPORT INFORMATION

Not hazardous product according to DOT classifications.

15 REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*Paraffin wax fume (8002742 n/a%) MASS, OSHAWAC, PA, TXAIR

REGULATORY KEY DESCRIPTIONS

MASS = MA Massachusetts Hazardous Substances List
OSHAWAC = OSHA Workplace Air Contaminants
PA = PA Right - To - Know List of Hazardous Substances
TXAIR = TX Air Contaminants with Health Effects Screening Level

16 OTHER INFORMATION

Disclaimer:

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

END OF MSDS DOCUMENT